




- ① TEMPORARY COLD MIX ASPHALT MAY BE USED FOR A MAXIMUM OF 30 CALENDAR DAYS. PLACE PERMANENT ASPHALT CONCRETE BASE COURSE, COMPACT & ALLOW TO COOL TO 160°F. THEN PLACE FINAL CAP AT 1" THICKNESS.

NOTES:

1. DEPARTMENT WILL OBTAIN AN ANNUAL BLANKET STREET CUT PERMIT FROM THE CITY OF SAN BERNARDINO AND PAY THE REQUIRED FEE. THE BLANKET PERMIT WILL ONLY APPLY TO NON-ARTERIAL STREETS AND CUTS THAT ARE 35 SQUARE FEET OR LESS. COMPACTION TESTING UNDER THE BLANKET PERMIT CAN BE ACCOMPLISHED BY THE DEPARTMENT OR ITS CONTRACTOR, THROUGH THE USE OF A DYNAMIC CONE PENETROMETER FOLLOWING THE DEPARTMENT APPROVED PROCEDURE.
2. STREET CUTS THAT ARE LOCATED IN ARTERIAL STREETS OR ARE LARGER THAN 35 SQUARE FEET SHALL REQUIRE THE DEPARTMENT OR ITS CONTRACTOR TO OBTAIN A STREET CUT PERMIT. COMPACTION TESTING SHALL BE CONDUCTED BY A PROFESSIONAL GEOTECHNICAL CONSULTANT.
3. REFER TO SBMWD STD. DWG. W5.1 FOR GENERAL RIGHT-OF-WAY NOTES.

REVISION DATE: 12/28/2011

		SAN BERNARDINO MUNICIPAL WATER DEPARTMENT		DRAWING NUMBER
F.D.L	DEC. 11	TRENCH, BACKFILL AND PAVEMENT REPLACEMENT DETAIL FOR WATER UTILITY INSTALLATION, MAINTENANCE, AND REPAIR (SUPPLEMENT TO W5.1)		SBMWD
D.D.M.	MAR. 11			W5.1A
REVISION	DATE			
SCALE: NONE		APPROVED 	DATE 07/04/2019	
WARREN HUANG, P.E. RCE 49208				